

CARRIER

EL2000

EL3000^{*} Military

For transporting stretchers and patients in unsurfaced areas

This device has proved very useful for transporting and moving injured patients (or materials) inside field hospitals and field hospital areas, AMPs, or to provide access to helicopter pads or airlift areas in typical large-scale emergency or natural disaster scenarios.

- **LARGE WHEELS**
- **UNIVERSAL**
- **VERSATILE**
- **LIGHT**
- **STABLE**



- ✓ **SNOW**
- ✓ **GRASS**
- ✓ **MUD**
- ✓ **SAND**
- ✓ **GRAVEL**
- ✓ **RUBBLE**

where the streets have no name™

www.flamor.com





TRANSPORT WITH TWO BEARERS

With the Carrier EL2000 / EL3000 two bearers can transport an injured patient with ease. This is the standard recommended configuration.

Injured patients are almost always transported by four bearers. This involves a waste of time and human resources.

The Carrier EL2000 / EL3000 allows 4 bearers to transport 2 injured patients, or even 4 in extreme emergency situations.



TRANSPORT WITH ONE BEARER

Its special design allows possible use by a single bearer. For safety reasons two bearers are nonetheless recommended.



TEMPORARY HOSPITAL BED

The Carrier EL2000 / EL3000 may be used where necessary as a temporary hospital bed and it is compatible with a wide range of field or emergency stretchers and spinal boards.



EXAMINATION BED

The Carrier EL2000 / EL3000 adjusts horizontal stretcher height for comfortable patient examination.

In emergency situations medical staff need to examine patients or manage basic manoeuvres while kneeling on the ground, an evidently uncomfortable position.



MATERIALS TRANSPORT

The Carrier EL2000 / EL3000 may also be used to load and transport a wide range of materials inside the field hospital area, the AMP, or within any other unsurfaced temporary structure.



Several colors available



It works with any kind of board



MADE IN ITALY

The EL 2000 / EL3000 field stretcher trolley complies with standard UNI EN 1865:2001 pursuant to Directive 93/42/EEC



ISTITUTO DI RICERCHE E COLLAUDI
M. MASINI S.r.l.

Sede Amm. e Lab.: Via Moscova, 11 - 20017 Rho (MI) - Sede Legale: Milano - Via S. Eufemia, 2 - C.F. e P.IVA 00862210151
Tel. 02/930.15.17 f.a. - Fax 02/930.81.76 - Internet: www.istutomasini.it - E-Mail: istutomasini@istutomasini.it

Organismo Notificato n° 0068 - Notified Body n° 0068

CERTIFICATO DI CONFORMITÀ
CERTIFICATE OF CONFORMITY

alla norma UNI EN 1865:2001
to the standard UNI EN 1865:2001

N. MD-002-2008

L'Istituto di Ricerche e Collaudi M. Masini dichiara di avere effettuato le prove del/i prodotto/i sottoindicato/i, seguendo i requisiti indicati nella norma UNI EN 1865:2001 con riferimento alla direttiva 93/42/CEE.

The Istituto di Ricerche e Collaudi M. Masini hereby declares that tests have been carried out on the product/s listed hereafter, following the requirements of the standards UNI EN 1865:2001 with reference to the directive 93/42/EEC.

FABBRICANTE:
Manufacturer

FLAMOR S.r.l.
Via Agogna, 20 - 28100 NOVARA

PRODOTTO "Tipo, identificazione, utilizzo":
Product "Type, designation, use"

Portabarella campale
Field stretcher carrier

LUOGO DI PRODUZIONE:
Production site

Via Agogna, 20 - 28100 NOVARA

NORMA DI RIFERIMENTO:
Reference standard

UNI EN 1865:2001

Documenti di riferimento/Reference documents:

- rapporto di prova n. test report no. 1357-2008 dell'of. 29/04/2008

Il presente certificato è riproducibile solo nella sua stesura integrale/This certificate can be reproduced only in full.

Data/Date: 29 Aprile/April 2008

Il Tecnico Responsabile - Responsible Technician
p.l. Samuele Mantella



Il Direttore /Technical Manager
Dr. Ing. Daniele Zerbi


New wheels in PP and fibreglass equipped with the patented Quick Release System®, retractable handles, and the wide range of supported stretchers all make the Carrier EL2000 / EL3000 a complete and versatile instrument in all out-of-hospital situations.

Open dimensions


Length: cm 147
Width: cm 71,5
Height: cm 88

Closed dimensions

Length: cm 53
Width: cm 61,5
Height: cm 85



OPEN



CLOSED

Weight

Frame: Kg 20
Pneumatic Wheels: Kg 4.4
Solid Wheels: Kg 5.6

Load capacity
Kg. 250

The Carrier EL2000 / EL3000 is available on:



www.carrier-el2000.com

EL3000
Military

**FIELD HOSPITALS
AIRLIFT PADS
AIRPORTS - SHORE AREAS
DISASTER AREAS
MOUNTAIN AREAS
SPORTS FIELDS**

EL2000



OPTIONAL

Upon request the equipment with 2 wheels for use on sandy soils and in the desert is now available.

www.flamor.com



Tactical Medicine

Via Biandrate, 80

28060 SAN PIETRO MOSEZZO (NO) - ITALY

Tel. +39 0321 442441 - Fax +39 0321 392190

E-mail: info@flamor.com